

Printing date 11.03.2020 Version number 1 Revision: 06.03.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Lithium-Ion-Batteries or Lithium-Polymer-Batteries for Bluephase LED polymerization lights
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Auxiliary for manufacture of dental prothesis
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ivoclar Vivadent AG Bendererstrasse 2

9494 Schaan

PRINCIPALITY OF LIECHTENSTEIN

Tel: +423 235 35 35 Fax: +423 235 33 60

· Further information obtainable from:

Regulatory Affairs sds@ivoclarvivadent.com

· 1.4 Emergency telephone number: +423/235 33 13 (Ivoclar Vivadent AG, 9494 Schaan, Liechtenstein)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures Rechargable Lithium-Ion-Batteries or Lithium-Polymer-Batteries
- · Description:

The materials contained in the battery may only become a hazard if the battery or the cell is damaged or if the battery is physically or electrically abused.

· Dangerous components: Void

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:

In case of contact with the materials from a damaged or ruptured cell or battery see the following first aid masures:

(Contd. on page 2)

Printing date 11.03.2020 Version number 1 Revision: 06.03.2020

Trade name: Lithium-Ion-Batteries or Lithium-Polymer-Batteries for Bluephase LED polymerization lights

(Contd. of page 1)

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Rinse with water.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Fire-extinguishing powder

Carbon dioxide

· 5.2 Special hazards arising from the substance or mixture

Toxic gases will be formed if cells or battery are involved in a fire. Cells or battery may flame or leak potentially hazardous organic vapor if exposed to excessive heat, fire or over-voltage conditions. Damaged or opened cells or batteries may result in rapid heat and the release of flammable vapors.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Should a battery unintentionally be crushed, thus releasing its contents, rubber gloves must be used to handle all battery components. Avoid inhalation of any vapors that may be emitted.

- 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up:

The material contained within the batteries would only be expelled under abusive conditions.

Spilled substances with dry sand or vermiculite.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Only adequately trained personnel should handle this product.

For use in dentistry only.

Do not store batteries in a manner that allows terminals to short circuit.

· Information about fire - and explosion protection:

Please note that lithium-polymer batteries may react with explosion, fire, and smoke development if handled improperly or mechanically damaged.

(Contd. on page 3)

Printing date 11.03.2020 Version number 1 Revision: 06.03.2020

Trade name: Lithium-Ion-Batteries or Lithium-Polymer-Batteries for Bluephase LED polymerization lights

(Contd. of page 2)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Do not store at temperatures above 40 °C / 104 °F (or 60 °C / 140 °F for a short period).

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Protect from heat and direct sunlight.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: Under normal conditions release of ingredients does not occur.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Usual hygienic measures for dental practice and dental laboratories.

· Respiratory protection:

Not required.

If the battery is damaged:

In case of battery rupture and fumes, use self-contained full-face respiratory equipment.

· Protection of hands:

Not required.

If the battery is damaged:



Protective gloves

· Material of gloves

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Chloroprene rubber, CR

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection:

Not required.

If the battery is damaged:



Tightly sealed goggles

Wear safety goggles or glasses with side shields if handling a leaking or ruptured battery.

GB

Printing date 11.03.2020 Version number 1 Revision: 06.03.2020

Trade name: Lithium-Ion-Batteries or Lithium-Polymer-Batteries for Bluephase LED polymerization lights

(Contd. of page 3)

9.1 Information on basic physical and ch	nomical proportios
General Information	iemeu properues
Appearance:	
Form:	Solid
Colour:	Not determined.
Odour:	Odourless
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/freezing point:	Not applicable.
Initial boiling point and boiling range:	Not applicable.
Flash point:	Not applicable.
Flammability (solid, gas):	Product is not flammable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not applicable.
Density:	Not applicable.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Not applicable.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solvent content:	
Solids content:	100.0 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Stable under normal handling and storage conditions.
- · Thermal decomposition / conditions to be avoided:

Do not short circuit battery.

Do not store at temperatures above $40 \, ^{\circ}\text{C} / 104 \, ^{\circ}\text{F}$ (or $60 \, ^{\circ}\text{C} / 140 \, ^{\circ}\text{F}$ for a short period).

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 5)

Printing date 11.03.2020 Version number 1 Revision: 06.03.2020

Trade name: Lithium-Ion-Batteries or Lithium-Polymer-Batteries for Bluephase LED polymerization lights

(Contd. of page 4)

- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

The electrolytes and electrolyte fumes released during explosion, fire, and smoke development are toxic and corrosive.

None under normal conditions of storage and use.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · Other information:

When properly used or disposed rechargeable Lithium-Ion/Polymer-Batteries do not present environmental hazard.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- $\cdot Additional\ ecological\ information:$
- · General notes: Not hazardous for water.
- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Disposal must be made according to official regulations.

May explode if disposed of in fire.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

GB

Printing date 11.03.2020 Version number 1 Revision: 06.03.2020

Trade name: Lithium-Ion-Batteries or Lithium-Polymer-Batteries for Bluephase LED polymerization lights

(Contd. of page 5)

SECTION 14: Transport information	
· 14.1 UN-Number · ADR/RID/ADN, IMDG, IATA	UN3480
· 14.2 UN proper shipping name · ADR/RID/ADN · IMDG, IATA	3480 LITHIUM ION BATTERIES LITHIUM ION BATTERIES
· 14.3 Transport hazard class(es) · ADR/RID/ADN	
· Class · Label	9 (M4) Miscellaneous dangerous substances and articles.
· IMDG, IATA	
· Class · Label	9 Miscellaneous dangerous substances and articles. 9A
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· Hazard identification number (Kemler code): · EMS Number:	F-A,S-I
· 14.7 Transport in bulk according to Annex II o Marpol and the IBC Code	f Not applicable.
· Transport/Additional information:	The batteries meets all the requirements of special provisions ADR 188, IMDG 188 and IATA DGR packaging instructions 965 Section IB.
· ADR/RID/ADN · Limited quantities (LQ) · Excepted quantities (EQ)	0 Code: E0 Not permitted as Excepted Quantity
· Transport category · Tunnel restriction code	Not permitted as Excepted Quantity 2 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	0 Code: E0 Not permitted as Excepted Quantity
	(Contd. on page

Printing date 11.03.2020 Version number 1 Revision: 06.03.2020

Trade name: Lithium-Ion-Batteries or Lithium-Polymer-Batteries for Bluephase LED polymerization lights

(Contd. of page 6)

· UN ''Model Regulation'':

UN 3480 LITHIUM ION BATTERIES, 9

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

CD