

smartrepair®

Revision date: 01.08.2019

Product code: 10795

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

smartrepair®

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Ligth curing repair material for use in dentistry.

#### 1.3. Details of the supplier of the safety data sheet

Company name:	DETAX GmbH & Co. KG					
Street:	Carl-Zeiss-Strasse					
Place:	D-76275 Ettlingen					
Telephone:	+49 7243/510-0	Telefax: +49 7243/510-100				
e-mail:	post@detax.de					
Internet:	www.detax.de					
Responsible Department:	Emergency number:	Emergency number:				
	+49 7243/510-0					
	This number is only obtainable dur	ing office hours (Monday - Thursday 8.00 a.m.				
	- 5.00 p.m., Friday 8.00 a.m 4.00	p.m.)				
1.4. Emergency telephone	+49 7243/510-0					
number:	This number is only obtainable dur	ing office hours (Monday - Thursday 8.00 a.m.				
	- 5.00 p.m., Friday 8.00 - 4.00 p.m.	)				

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories: Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1A Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

## 2.2. Label elements

## Regulation (EC) No. 1272/2008

#### Hazard components for labelling

methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate isopropylidenediphenol peg-2 dimethacrylate Triethylene glycol dimethacrylate aliphatic urethane acrylate 2-hydroxyethyl methacrylate

Signal word:

**Pictograms:** 





according to Regulation (EC) No 1907/2006

## smartrepair®

Revision date: 01.08.2019

Product code: 10795

Page 2 of 10

## Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

## Precautionary statements

cautionaly statement	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/ container in accordance with local and national regulations.

## Additional advice on labelling

According to Regulation (EC) 1272/2008, art.1 No. 5 (d) this product as a medical product must not be labelled!

## 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## Chemical characterization

Mixture of methacrylic resins with auxiliary matters.

## Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification		•	
41637-38-1	isopropylidenediphenol peg-2 dim	ethacrylate		10 - < 15 %
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens	. 1A, STOT SE 3; H315 H3	19 H317 H335	
109-16-0	Triethylene glycol dimethacrylate			10 - < 15 %
	203-652-6		01-2119969287-21	
	Skin Sens. 1B; H317			
	aliphatic urethane acrylate	5 - < 10 %		
	906-949-5		01-2120266262-	
	Skin Sens. 1B, Aquatic Chronic 2;	H317 H411	·	
868-77-9	2-hydroxyethyl methacrylate	< 1 %		
	212-782-2	607-124-00-X		
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens	. 1; H315 H319 H317		
80-62-6	methyl 2-methylprop-2-enoate; me	ethyl 2-methylpropenoate; r	nethyl methacrylate	< 1 %
	201-297-1	607-035-00-6	01-2119452498-28	
	Flam. Liq. 2, Skin Irrit. 2, Skin Sen	s. 1, STOT SE 3; H225 H3	15 H317 H335	
21245-02-3	2-Ethylhexyl 4-(dimethylamino)ber	< 1 %		
	244-289-3		01-2120766649-35	
	Repr. 1B; H360			

Full text of H and EUH statements: see section 16.

according to Regulation (EC) No 1907/2006

## smartrepair®

Revision date: 01.08.2019

Product code: 10795

Page 3 of 10

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

## After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## SECTION 7: Handling and storage

# **DETAX**

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## smartrepair®

Revision date: 01.08.2019

Product code: 10795

Page 4 of 10

## 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

Keep away from spontaneous flammable or combustible substances.

#### Further information on storage conditions

Keep away from all kind of ligth. An inert gas blanket should not be applied, because the stability of the product depends on teh presence of oxygen (air).

#### 7.3. Specific end use(s)

Composite repair material for dental restorations like provisional crowns and bridges.

#### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
80-62-6	Methyl methacrylate	50	208		TWA (8 h)	WEL
		100	416		STEL (15 min)	WEL

## 8.2. Exposure controls

#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber)

#### Skin protection

Wear suitable protective clothing.

## **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

smartrepair®

Revision date: 01.08.2019

Product code: 10795

Page 5 of 10

# SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties Physical state: liquid: , low-viscosity Colour: tooth-like Odour: odourless Test method pH-Value: not determined Changes in the physical state Melting point: not determined Initial boiling point and boiling range: not determined >100 °C DIN 51755 Flash point: Flammability Solid: not applicable Gas: not applicable **Explosive properties** The product is not: Explosive. Lower explosion limits: not determined Upper explosion limits: not determined Auto-ignition temperature Solid: not applicable Gas: not applicable Decomposition temperature: not determined **Oxidizing properties** Not oxidizing. Vapour pressure: <1 hPa (at 20 °C) Density (at 20 °C): 1,5 g/cm<sup>3</sup> Water solubility: insoluble Solubility in other solvents not determined Partition coefficient: not determined Vapour density: not determined Evaporation rate: not determined 9.2. Other information Solid content: not determined

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

according to Regulation (EC) No 1907/2006

## smartrepair®

Revision date: 01.08.2019

Product code: 10795

Page 6 of 10

Reacts with : oxidising agents, radicals forming substances or heavy metal ions.

## 10.4. Conditions to avoid

Ultra-violet ligth and dayligth initiate polymerisation of the product. Therefore keep only in tightly closed containers away from any sources of light. Keep at temperature not exceeding 25°C/77°F.

## 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

In case of fire, acrid acrylic fumes may occur.

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met. For the product itself no toxicological data are available. In products with a comparable composition, a LD50 (orally, species rat) of > 5000 mg/kg has been found.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
109-16-0	Triethylene glycol dimeth	acrylate						
	oral	LD50 mg/kg	10800	Rat	GESTIS			
868-77-9	2-hydroxyethyl methacry	late						
	oral	LD50 mg/kg	5050	Rat				
	dermal	LD50 mg/kg	>3000	Rabbit				
80-62-6	methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate							
	oral	LD50 mg/kg	7870	Rat				
	dermal	LD50 mg/kg	>5000	Rabbit				
	inhalation (4 h) vapour	LC50	78 mg/l	Rat				
21245-02-3	2-Ethylhexyl 4-(dimethyla	2-Ethylhexyl 4-(dimethylamino)benzoate						
	oral	LD50 mg/kg	14,900	Rat				

## Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

#### Sensitising effects

May cause an allergic skin reaction. (isopropylidenediphenol peg-2 dimethacrylate; Triethylene glycol dimethacrylate; aliphatic urethane acrylate; 2-hydroxyethyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

## smartrepair®

Revision date: 01.08.2019

Product code: 10795

Page 7 of 10

## Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
868-77-9	2-hydroxyethyl methacryla	ate					
	Acute fish toxicity	LC50	227 mg/l	96 h	Pimephales promelas		
80-62-6	methyl 2-methylprop-2-en	oate; methyl	2-methylpro	penoate	; methyl methacrylate		
	Acute fish toxicity	LC50 mg/l	>130	96 h			
21245-02-3	2-Ethylhexyl 4-(dimethylamino)benzoate						
	Acute fish toxicity	LC50 mg/l	0,235	96 h	QSAR		
	Acute algae toxicity	ErC50 mg/l	<0,015		Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	>0,031		Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(1000 mg/	1)	3 h	Activated sludge		

## 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation		-	
868-77-9	2-hydroxyethyl methacrylate			
	84	%	28	
	Leicht biologisch abbaubar			

## 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
868-77-9	2-hydroxyethyl methacrylate	0,47

## 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

Not identivied as PBT/ vPvB substances

#### 12.6. Other adverse effects

No information available.

## Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

according to Regulation (EC) No 1907/2006

## smartrepair®

Revision date: 01.08.2019

Product code: 10795

Page 8 of 10

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

## Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### **Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID) No dangerous good in sense of this transport regulation. 14.1. UN number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) 14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of this transport regulation. Marine transport (IMDG) 14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Air transport (ICAO-TI/IATA-DGR) 14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. 14.6. Special precautions for user No dangerous good in sense of this transport regulation. 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No dangerous good in sense of this transport regulation.

## SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture				
EU regulatory information				
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)			
National regulatory information				
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).			

according to Regulation (EC) No 1907/2006

## smartrepair®

Revision date: 01.08.2019

Product code: 10795

Page 9 of 10

Water contaminating class (D): Skin resorption/Sensitization:

3 - highly water contaminating Causes allergic hypersensitivity reactions.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations** DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern @1602.B016012

## Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1A; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

## smartrepair®

Revision date: 01.08.2019

Product code: 10795

Page 10 of 10

## Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H360	May damage fertility or the unborn child.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

## **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

## Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification	
1	Gewerblich	-	-	-	-	-	-	-	2	
LCS: Life cycle stages SU: Sectors of use										
PC: Product categories PROC: Process categories										
ERC: Environmental release categories					AC: Article categories					
TF: Technical functions										

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to Regulation (EC) No 1907/2006

## smartbond®

Revision date: 09.12.2016

Product code: 10571.3

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

smartbond®

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Ligth curing repair material for use in dentistry.

## 1.3. Details of the supplier of the safety data sheet

	saloty adda oneot	
Company name:	DETAX GmbH & Co. KG	
Street:	Carl-Zeiss-Strasse	
Place:	D-76275 Ettlingen	
Telephone:	+49 7243/510-0	Telefax: +49 7243/510-100
e-mail:	post@detax.de	
Internet:	www.detax.de	
Responsible Department:	Emergency number:	
	+49 7243/510-0	
	This number is only obtainable	e during office hours (Monday - Thursday 8.00 a.m.
	- 5.00 p.m., Friday 8.00 a.m	4.00 p.m.)
1.4. Emergency telephone	+49 7243/510-0	
number:	This number is only obtainable	e during office hours (Monday - Thursday 8.00 a.m.
	- 5.00 p.m., Friday 8.00 - 4.00	p.m.)

3

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:
Flammable liquid: Flam. Liq. 2
Skin corrosion/irritation: Skin Irrit. 2
Serious eye damage/eye irritation: Eye Irrit. 2
Respiratory or skin sensitisation: Skin Sens. 1A
Specific target organ toxicity - single exposure: STOT SE
Hazardous to the aquatic environment: Aquatic Chronic 3
Hazard Statements:
Highly flammable liquid and vapour.
Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.
May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

Danger

#### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

## Hazard components for labelling

"methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate, MMA" acrylic acid derivates vinylester resin diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Signal word:

according to Regulation (EC) No 1907/2006

## smartbond®

Revision date: 09.12.2016

Product code: 10571.3

Page 2 of 10

Pictograms:



## Hazard statements

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

## Precautionary statements

roouallonaly olator	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P235	Keep cool.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/ container in accordance with legal and national regulations.

## Additional advice on labelling

According to Regulation (EC) 1272/2008, art.1 No. 5 (d) this product as a medical product must not be labelled!

## 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

## Chemical characterization

Mixture of acrylic/ methacrylic resins with auxilliary matters.



according to Regulation (EC) No 1907/2006

#### smartbond®

Revision date: 09.12.2016

Product code: 10571.3

Page 3 of 10

## Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according			
80-62-6	"methyl 2-methylprop-2-	enoate; methyl 2-methylpropenoate	e; methyl methacrylate, MMA"	20 - 70 %
	201-297-1	607-035-00-6		
	Flam. Liq. 2, Skin Irrit. 2	, Skin Sens. 1, STOT SE 3; H225 H	315 H317 H335	
	acrylic acid derivates		25 - 50 %	
	Eye Irrit. 2, Skin Sens. 1			
	aliphatic polyestertriuret	5 - 20 %		
	Skin Irrit. 2, Eye Irrit. 2; I			
55818-57-0	vinylester resin	1 - < 5 %		
			01-2119490020-53	
	Skin Sens. 1; H317			
75980-60-8	diphenyl(2,4,6-trimethyl	0,1 - 5 %		
	278-355-8	015-203-00-X		
	Repr. 2, Skin Sens. 1B,			

Full text of H and EUH statements: see section 16.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. Medical treatment necessary.

## After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

## After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

## After ingestion

Rinse mouth immediately and drink plenty of water.

Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

#### 5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.



#### smartbond®

Revision date: 09.12.2016

Product code: 10571.3

Page 4 of 10

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

#### Further information on storage conditions

Keep only in the original container in a cool, dry and well-ventilated place, away from foodstuffs. Keep away from all kind of ligth. An inert gas blanket should not be applied, because the stability of the product depends on the presence of oxygen (air).

#### 7.3. Specific end use(s)

Adhesive for repair of dental restaurations like prosthesis, crowns or bridges For use by trained specialist staff.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters



## smartbond®

Revision date: 09.12.2016

Product code: 10571.3

Page 5 of 10

## Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
80-62-6	Methyl methacrylate	50	208		TWA (8 h)	WEL
		100	416		STEL (15 min)	WEL

#### 8.2. Exposure controls

## Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

## Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber)

#### Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

## **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Colour:	liquid light yellow	
Odour:	faintly like esters	
		Test method
pH-Value:	not determined	
Changes in the physical state		
Melting point:	not determined	
Initial boiling point and boiling range:	92 °C	DIN 51356
Flash point:	12 °C	DIN 51755
Flammability		
Solid:	not applicable	
Gas:	not applicable	
Lower explosion limits:	2 vol. %	
Upper explosion limits:	12 vol. %	
Ignition temperature:	>400 °C	DIN 51794
Auto-ignition temperature Solid:	not applicable	

#### according to Regulation (EC) No 1907/2006

smartbond®							
Revision date: 09.12.2016	Product code: 10571.3	Page 6 of 10					
Gas:	not applicable						
Decomposition temperature:	>100 °C						
Oxidizing properties Not oxidizing.							
Vapour pressure: (at 20 °C)	40 hPa						
Vapour pressure: (at 50 °C)	160 hPa						
Density (at 20 °C):	1,07 g/cm³	DIN 51757					
Water solubility: (at 20 °C)	16 g/L						
Solubility in other solvents not determined							
Partition coefficient:	not determined						
Vapour density:	not determined						
Evaporation rate:	not determined						
9.2. Other information							
Solid content:	not determined						

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Highly flammable.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Reacts with : oxidising agents, radicals forming substances or heavy metal ions.

## 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

Ultra-violet ligth and dayligth initiate polymerisation of the product. Therefore keep only in tigthly closed containers away from any sources of ligth. Keep in a refrigerator at 2°C - 12°C / 36°F - 54 °F.

## 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

In case of fire, acrid acrylic fumes may occur.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

## Acute toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

## smartbond®

Revision date: 09.12.2016

Product code: 10571.3

Page 7 of 10

CAS No	Chemical name							
	Exposure route	Dose		Species	Source			
80-62-6	"methyl 2-methylprop-2-enoate; met	hyl 2-methyl	propenoate; meth	nyl methacrylate, MMA"				
	oral	LD50	7870 mg/kg	Rat				
	dermal	LD50	>5000 mg/kg	Rabbit				
	inhalative (4 h) vapour	bour LC50 78 mg/l		Rat				
	acrylic acid derivates							
	oral	LD50	2000 mg/kg	Rat	OECD 423			
	dermal	LD50	2000 mg/kg	Rabbit	OECD 402			
75980-60-8	0-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide							
	oral	LD50	>5000 mg/kg	Rat				
	dermal	LD50 >2000 mg/kg R		Rat				

## Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

#### Sensitising effects

May cause an allergic skin reaction. ("methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate, MMA"); (acrylic acid derivates); (vinylester resin); (diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

May cause respiratory irritation. ("methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate, MMA")

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source			
80-62-6	"methyl 2-methylprop-2-enoate	e; methyl 2-r	nethylpropenoate	; methyl m	nethacrylate, MMA"				
	Acute fish toxicity	LC50	>100 mg/l	96 h					
	acrylic acid derivates								
	Algea toxicity	NOEC	10 mg/l	-	Pseudokirchneriella subcapitata	OECD 201			
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide								
	Acute algae toxicity	ErC50	>2,01 mg/l	72 h	Scenedesmus subspicatus				
	Acute crustacea toxicity	EC50	3,53 mg/l		Daphnia magna (Big water flea)				
	Acute bacteria toxicity	(>1000	mg/l)	3 h	Activated sludge				

## smartbond®

Revision date: 09.12.2016

Product code: 10571.3

Page 8 of 10

# 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide						
		0-10%	28				
	Not readily biodegradable (according to OECD criteria)						

## 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3,1
BCF		

CAS No	Chemical name	BCF	Species	Source
	diphenyl(2,4,6-trimethylbenzoyl)phosphi ne oxide		Cyprinus carpio (Common Carp)	

## 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

Not identivied as PBT/ vPvB substances

#### 12.6. Other adverse effects

No information available.

## **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

## Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 1866
14.2. UN proper shipping name:	Resin solution
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Limited quantity:	5 L/ 30kg
Hazard No:	33
Tunnel restriction code:	D/E

	according to Regulation (EC) No 1907/2006		
	smartbond®		
Revision date: 09.12.2016	Product code: 10571.3	Page 9 of 10	
Other applicable information (land tran Flammable licquid	sport)		
Marine transport (IMDG)			
<u>14.1. UN number:</u>	UN 1866		
14.2. UN proper shipping name:	Resin solution		
14.3. Transport hazard class(es):	3		
14.4. Packing group:	II		
Hazard label:	3		
Marine pollutant:	-		
Special Provisions:	-		
Limited quantity: EmS:	5L/ 30kg F-E, S-E		
Other applicable information (marine tr Flash point: 12°C c.c.	ansport)		
Air transport (ICAO-TI/IATA-DGR)			
<u>14.1. UN number:</u>	UN 1866		
14.2. UN proper shipping name:	Resin solution		
14.3. Transport hazard class(es):	3		
14.4. Packing group:	II		
Hazard label:	3		
Limited quantity Passenger:	1 L/ 30 kg		
Passenger LQ:	Y341		
IATA-packing instructions - Passenger:	353 5 L		
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	364		
IATA-packing instituctions - Cargo:	60 L		
<b><u>14.6. Special precautions for user</u></b> Warning: Combustible liquid.			
14.7. Transport in bulk according to Anney	r II of Marpol and the IBC Code		
not applicable			
SECTION 15: Regulatory information			
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture		
National regulatory information			
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).		
Water contaminating class (D): Skin resorption/Sensitization:	2 - water contaminating Causes allergic hypersensitivity reactions.		
15.2. Chemical safety assessment			
Chemical safety assessments for sub	ostances in this mixture were not carried out.		
SECTION 16: Other information			
Abbreviations and acronyms	ort des marchandises dangereuses nar Route		

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals



according to Regulation (EC) No 1907/2006

## smartbond®

Revision date: 09.12.2016

Product code: 10571.3

Page 10 of 10

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

## Relevant H and EUH statements (number and full text)

- H225 Highly flammable liquid and vapour.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H361f Suspected of damaging fertility.
- H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)